




Declaration of Performance FUSION007

Declaration of Performance FUSION007		
1. Product type:	Double-glazed PVCu Bi-Folding Door	
2. Product type number:	FUSION007	
3. Intended use:	Not on escape route	
4. Manufacturer:	Fusion Windows LTD, Malvern	
5. Authorised representative:	Paul Raffanelli – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m².K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Paul Raffanelli (name & title)</p> <p>Fusion Windows LTD 07/2013 (place and date of issue)</p> <p>(signature) </p>		


Declaration of Performance FUSION006

Declaration of Performance		
FUSION006		
1. Product type:	Double-glazed PVCu French Door	
2. Product type number:	FUSION006	
3. Intended use:	Not on escape route	
4. Manufacturer:	Fusion Windows LTD, Malvern	
5. Authorised representative:	Paul Raffanelli – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m².K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Paul Raffanelli (name & title)</p> <p>Fusion Windows LTD 07/2013 (place and date of issue)</p> <p>(signature) </p>		


Declaration of Performance FUSION005

Declaration of Performance		
FUSION005		
1. Product type:	Double-glazed PVCu Composite Door	
2. Product type number:	FUSION005	
3. Intended use:	Not on escape route	
4. Manufacturer:	Fusion Windows LTD, Malvern	
5. Authorised representative:	Paul Raffanelli – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m².K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Paul Raffanelli (name & title)</p> <p>Fusion Windows LTD 07/2013 (place and date of issue)</p> <p>(signature)</p> 		


Declaration of Performance FUSION004

Declaration of Performance		
FUSION004		
1. Product type:	Double-glazed PVCu Residential Door	
2. Product type number:	FUSION004	
3. Intended use:	Not on escape route	
4. Manufacturer:	Fusion Windows LTD, Malvern	
5. Authorised representative:	Paul Raffanelli – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m².K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Paul Raffanelli (name & title)</p> <p>Fusion Windows LTD 07/2013 (place and date of issue)</p> <p>(signature) </p>		


Declaration of Performance FUSION003

Declaration of Performance		
FUSION003		
1. Product type:	Double-glazed PVCu Fixed	
2. Product type number:	FUSION003	
3. Intended use:	Not on escape route	
4. Manufacturer:	Fusion Windows LTD, Malvern	
5. Authorised representative:	Paul Raffanelli – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m².K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Paul Raffanelli (name & title)</p> <p>Fusion Windows LTD 07/2013 (place and date of issue)</p> <p>(signature) </p>		

Declaration of Performance FUSION002

Declaration of Performance		
FUSION002		
1. Product type:	Double-glazed PVCu Tilt & Turn	
2. Product type number:	FUSION002	
3. Intended use:	Not on escape route	
4. Manufacturer:	Fusion Windows LTD, Malvern	
5. Authorised representative:	Paul Raffanelli – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m².K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Paul Raffanelli (name & title)</p> <p>Fusion Windows LTD 07/2013 (place and date of issue)</p> <p>(signature) </p>		

Declaration of Performance FUSION001

Declaration of Performance		
FUSION001		
1. Product type:	Double-glazed PVCu Casement Window	
2. Product type number:	FUSION001	
3. Intended use:	Not on escape route	
4. Manufacturer:	Fusion Windows LTD, Malvern	
5. Authorised representative:	Paul Raffanelli – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m².K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Paul Raffanelli (name & title)</p> <p>Fusion Windows LTD 07/2013 (place and date of issue)</p> <p>(signature) </p>		